

CERTIFICATE OF ANALYSIS

ARG-C-080*00*30/09/2026

NOVA PLUS

Certificate No: ARG-C-080

Print Date: 30.09.2026 11:40

Page: 1 / 1

BETAIN 35 %

Cocamidopropyl Betaine

1. Product Information

Field	Details
Item Number	M10302
Product Name	BETAIN 35 %
Chemical Name	Cocamidopropyl Betaine
Batch Number	260224-Y101250021K
Manufacturing Date	30.09.2026
Expiration Date	30.09.2028

2. Test Results

Test	Unit	Min	Max	Result
Active Matter	%	29.000	31.000	29.13
Appearance	-	Clear Liquid	-	Conform to Standard
Dry Matter	%	33.500	39.000	36.52
Odour	-	Characteristic	-	Conform to Standard
pH	-	4.50	5.50	5.35
Sodium Chloride	%	4.000	6.000	5.28
Solubility	-	Soluble	-	Conform to Standard
Water Content	%	61.000	66.500	63.08

3. Contact Information

Field	Details
Company Name	NOVA PLUS AMBALAJLAMA LİMİTED ŞİRKETİ
Address	KAYABAŞI MAH. PARK MAVERA 2 T4 NO: 2 İSTANBUL / TURKEY
Phone	+90 536 436 49 92
E-mail	info@nova-plus.net
Web	www.nova-plus.net

Test methods are available from NOVA PLUS upon request.

This certificate reflects our findings at time and place of testing only and does not relieve the customer of its responsibility to verify data contained on this report.